

Profile system

- ☐ sliding system
- ☐ floor-mounted sliding system
- ☐ sliding to the left or right as desired
- ☐ narrow exterior views
- ☐ opening types: 2- or 3-track with up to 6 moving casements
- ☐ max. door casement height: 3000 mm
- ☐ construction depth: 2-track 65 / 50 mm, 3-track 115 / 50 mm

Fittings

- ☐ all fittings are concealed within the profiles
- ☐ low-maintenance, non-corroding and failsafe hardware components
- ☐ integrated followers automatically move the adjacent panels when closing the sliding panel
- ☐ inside and/or outside locking possible

Running assembly


- ☐ low-noise, ball bearing rollers with wear-resistant and low-maintenance running surfaces
- ☐ 180 kg/panel (maximum panel weight)

Glazing


- ☐ glass thicknesses to 20 mm are possible



tested SUNFLEX quality




Profil
Non-insulated aluminium sliding system.




Vertical frame
Increased water- and windtightness by three sealing levels within the labyrinth area.




Design
Narrow exterior views of all profiles provide for homogenous optics.



Handles
1. Locking interior
2. Locking interior with lock
3. Pull handle exterior











Details at uneven panel partitioning in one direction





Special sizes on request

Ref.	Section	Description	Page
B	SF42-001	Vertical-Section, bottom track / 2-track	4
A	SF42-002	Vertical-Section, top track / 2-track	4
B	SF42-003	Vertical-Section, bottom track / 3-track	4
A	SF42-004	Vertical-Section, top track / 3-track	4
C	SF42-101	Horizontal-Section, side wall fitting / 2-tracks / left	5
C	SF42-105	Horizontal-Section, side wall fitting / 2-tracks / right	5
C	SF42-102	Horizontal-Schnitt, side wall fitting, 3-tracks / left	5
C	SF42-104	Horizontal-Schnitt, side wall fitting, 3-tracks / right	5
D	SF42-103	Horizontal-Section, panel - panel	6
D	SF42-106	Horizontal-Section, panel - panel, on one track	6

B 		A 	
Description: Vertical-Section, bottom track, 2-track		Description: Vertical-Section, top track, 2-track	
System: SF42		System: SF42	
Detail-No.: SF42-001		Detail-No.: SF42-002	
B 		A 	
Description: Vertical-Section, bottom track 3-track		Description: Vertical-Section, top track, 3-track	
System: SF42		System: SF42	
Detail-No.: SF42-003		Detail-No.: SF42-004	

C OUTSIDE  INSIDE	C OUTSIDE  INSIDE
Description: Horizontal-Section, side wall fitting, 2-tracks / left	Description: Horizontal-Section, side wall fitting, 3-tracks / right
System: SF42	System: SF42
Detail-No.: SF42-101	Detail-No.: SF42-105
C OUTSIDE  INSIDE	C OUTSIDE  INSIDE
Description: Horizontal-Section, side wall fitting, 3-tracks / left	Description: Horizontal-Section, side wall fitting, 3-tracks / right
System: SF42	System: SF42
Detail-No.: SF42-102	Detail-No.: SF42-104

D OUTSIDE  INSIDE		D OUTSIDE  INSIDE	
Description:Horizontal-Section, panel - panel System:SF42 Detail-No.:SF42-103		Description:Horizontal-Section, panel - panel / on one track System:SF42 Detail-No.:SF42-106	